


## Product information

### 0935 253 101 - 0935 253 101/1 M

Industrial Connecting Solutions:I/O Modules:I/O Modules Activ - Stand Alone:CANopen:Accessories:CANopen Data Cables:Overmolded Double Ended Cordsets:0935 253 101  
[https://www.e-catalog.beldensolutions.com:443/link/57078-24228-255441-219791-247241-252466-248291-248293-247391/en/0935\\_253\\_101\\_0100/uistate](https://www.e-catalog.beldensolutions.com:443/link/57078-24228-255441-219791-247241-252466-248291-248293-247391/en/0935_253_101_0100/uistate)

Name	0935 253 101
	
	CAN/DeviceNet Thin Cable molded on both sides with 7/8" male connector and M12 female connector, 5 poles, 1 meter, PUR jacket, halogen free, black.
<b>Delivery informations</b>	
Availability	available
<b>Product description</b>	
Type	0935 253 101/1 M
Order No.	39651
Description	CAN/DeviceNet Thin Cable molded on both sides with 7/8" male connector and M12 female connector, 5 poles, 1 meter, PUR jacket, halogen free, black.
Note	The application of these products in harsh environments should always be checked before use.
Color of housing	black
Product characteristics	Oil resistance, EMC resistance, Vibration resistance
<b>Classification</b>	
Belden class	Data cables
Belden brand	Lumberg-Automation
<b>Approvals</b>	
Approvals	UL
<b>Cable</b>	
Cable length	1 m
Cable number	253
Cable description	Bus cable: DeviceNet-CANopen®
Color of jacket	black
Material of outer jacket	PUR
Without halogens as in EN 50267-2-3	✓
shielded	✓
welding spark proof	✗
Outer diameter of the cable	6.7 mm
Number of conductors	4
Cable design	1 x 2 x 0.25 mm <sup>2</sup> (AWG 24); 1 x 2 x 0.34 mm <sup>2</sup> (AWG 22)
Flame resistant according to standard	IEC 60332-1-2, UL VW-1, CSA FT-1

**Belden Deutschland GmbH**  
 Im Gewerbepark 2  
 58579 Schalksmühle  
 Germany  
 Phone: +49 7127/14-1806  
 E-Mail: icos-sales@belden.com

The information published in the websites has been compiled as carefully as possible. It is subject to alteration without notice in technical as well as in price-related/commercial respect. The complete information and data were available on user documentation. Mandatory information can only be obtained by a concrete query.